#### **Breast Self-Check**

Compiled by Aubrey Lesicki, LMP, BreastRemedySeattle.com

# Protocol (MammaCare.org): Use the 5 P's


Have a timer

• while learning, spend 7 minutes per breast; with experience 4-5 minutes

### **POSITION**


Visually examine your breasts in 3 positions

- · Anterior, left and right views of each
  - 1. "Amazon" standing straight with arms at sides. Lift breast as needed to see underside.
  - 2. "Superwoman" leaning forward with arms raised over head
  - 3. "Wonder Woman" hands on hips, shoulders protracted
- size difference is normal, but pay attention to changes over time
- pay attention to change in skin appearance
- Best laying down, w/o lotion (need some traction) in a QUIET AREA
- angled away, arm over head for lateral breast
- · laying flat for medial breast



# **PERIMETER**

Border lines (axilla, bra line, sternum, clavicle)




#### **Breast Self-Check**

Compiled by Aubrey Lesicki, LMP, BreastRemedySeattle.com

#### **PATTERN**

Search pattern (Strip technique)




Helpful Hint: You can pre-mark lines to follow with an eye liner or lip pencil

- start in armpit (lat is outer border) (get in there!), straight down to bottom of breast, then over and up
- · pay special attention to the nipple
- · use slide technique to keep your place
- use sticker or eye/lip liner to mark as you go and/or mark areas to review
- finish with horizontal search along clavicle (lower your arm)

# **PALPATION**

Use 3-and-1 technique




- 3 flat fingers (more contact area)
- · one inch circles,
- one circle per second,
- one circle per 3 levels (superficial, middle, deep- bone!)

#### **Breast Self-Check**

Compiled by Aubrey Lesicki, LMP, BreastRemedySeattle.com

### **PRESSURE**

3 levels (superficial, middle, deep)



- first circle only moves the skin
- second circle moves the fat/gland
- third circle reaches almost to muscle under breast tissue

## **RECORD YOUR RESULTS**

- · mark on your calendar the date performed
- use surgical marking pen on questionable areas so you can monitor them (does the area change throughout the week, especially with self massage ©)
- take a picture to see if these areas change next month
- seek advice from a medical professional (who uses a good technique!)
- get feedback on your technique if you are unsure of yourself
- review your skills with a health care professional annually to maintain your well-earned skills!